



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NATIONAL PRIORITIES LIST (NPL)

State, Tribal, and Site Identification Center

September 1998

Washington, DC 20460

FRIDLEY COMMONS PARK WELL FIELD Fridley, Minnesota

The Fridley Commons Park Well Field site is a trichloroethylene (TCE) plume located within a 45 acre active ground water well field in Fridley, Minnesota. The City of Fridley, with an approximate population of 29,000, operates 13 public water supply wells. Eight of these wells are located in the Commons Park well field. Four of the Commons Park wells are open to the Prairie du Chien-Jordan aquifer. Several other public water supply wells for other municipalities are located within a 4-mile radius of the Commons Park well field.

In February, 1984, trichloroethylene (TCE) was detected in municipal well no. 9, one of the four Commons Park wells open to the Prairie du Chien-Jordan aquifer. Subsequent testing indicated the presence of TCE in the three other Commons Park wells open to this aquifer (municipal well nos. 6, 7, and 8). TCE was detected in well no. 9 at concentrations in excess of federal drinking water standards, and, at the recommendation of the Minnesota Department of Health (MDH), the City of Fridley removed the well from service in November, 1989. Though TCE has been detected in municipal well nos. 6, 7, and 8, these wells have remained in service. The City has continued to monitor the affected wells as required by MDH.

The Minnesota Pollution Control Agency has conducted investigations since the closure of well no. 9 in an attempt to identify a source of the TCE contamination. While over 50 potential contaminant sources have been identified through file searches, an exact source or sources of the contamination has not yet been identified.

[The description of the site (release) is based on information available at the time the site was scored. The description may change as additional information is gathered on the sources and extent of contamination. See 56 FR 5600, February 11, 1991, or subsequent FR notices.]